

BEST AVAILABLE COPY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> @pd<20030421 and L174 </div>
Display:	<div style="border: 1px solid black; padding: 2px;"> 10 Documents in Display Format: Starting with Number 1 </div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

 Search History

 DATE: Saturday, March 31, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L176	@pd<20030421 and L174	13	L176
L175	l164 and L174	2	L175
L174	l9 and L173	101	L174
L173	align\$4 with (\$3marshal\$4 or \$3serializ\$4 or \$3materializ\$4)	548	L173
L172	((request or message) near body) or payload) and L170	36	L172
L171	((request or message) near body) or payload) L170	56467	L171
L170	giop and (message or request) adj broker	130	L170
L169	(message or request) adj broker and L166	59	L169
L168	L152 and L166	0	L168
L167	L165 and L166	10	L167
L166	(encap\$6 or wrap\$4) near (request or message)	909	L166
L165	L137 and L164	1024	L165
L164	L160 or L161 or L162 or L163	47714	L164
L163	(715/733 715/734 715/746 715/749).ccls.	1022	L163
L162	(719/311 719/318).ccls.	982	L162

<u>L161</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	23499	<u>L161</u>
<u>L160</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10).ccls. <i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>	25088	<u>L160</u>
<u>L159</u>	JIN-KE! <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	2	<u>L159</u>
<u>L158</u>	client and server and L157	4	<u>L158</u>
<u>L157</u>	L153 and L155	177	<u>L157</u>
<u>L156</u>	L153 nad L155	165665	<u>L156</u>
<u>L155</u>	adjust\$4 near align\$4	19440	<u>L155</u>
<u>L154</u>	L152 and L153	33	<u>L154</u>
<u>L153</u>	((transmi\$5 or transfer\$3 or pass\$3) near (message or event))	129045	<u>L153</u>
<u>L152</u>	align\$4 near (body or payload)	13437	<u>L152</u>
<u>L151</u>	without near marshal\$4	51	<u>L151</u>
<u>L150</u>	L149	36	<u>L150</u>
<u>L149</u>	((operation or function or method) near name with wrap\$4)	36	<u>L149</u>
<u>L148</u>	(pull or push) and L147	54	<u>L148</u>
<u>L147</u>	(error or loss or loos\$3) and L146	179	<u>L147</u>
<u>L146</u>	(request or message) near header and L145	224	<u>L146</u>
<u>L145</u>	((request or message) near body) or payload) and L144	670	<u>L145</u>
<u>L144</u>	(request or message) with broker	6796	<u>L144</u>
<u>L143</u>	((request or message) near body) or payload) and L140	55	<u>L143</u>
<u>L142</u>	((request or message) near body) or payload and L140	5574	<u>L142</u>
<u>L141</u>	((request or message) near (payload or body)) and L140	0	<u>L141</u>
<u>L140</u>	misalign\$6 near (error or loos\$3 or loss)	2359	<u>L140</u>
<u>L139</u>	(loos\$3 or loss) with ((request or message) near (payload or body))	18	<u>L139</u>
<u>L138</u>	L131 and L137	8	<u>L138</u>
<u>L137</u>	consumer and supplier	15960	<u>L137</u>
<u>L136</u>	consumer and suppplier	0	<u>L136</u>
<u>L135</u>	insert\$3 near address with (request or message) near header	1	<u>L135</u>
<u>L134</u>	consumer and suppplier and L131	0	<u>L134</u>
<u>L133</u>	event adj channel and L131	1	<u>L133</u>
<u>L132</u>	(request or message) near (payload or body) and L131	4	<u>L132</u>
<u>L131</u>	(extract\$3 or insert\$3) with (operation or method or function) near name	419	<u>L131</u>
<u>L130</u>	extract\$3 with (operation or method or function) near name	279	<u>L130</u>
<u>L129</u>	(request or message) near (payload or body) with align\$6	36	<u>L129</u>
<u>L128</u>	(request or message) near (payload or body) with adjust\$6	12	<u>L128</u>
<u>L127</u>	(request or message) near (payload or body) and L126	52	<u>L127</u>
<u>L126</u>	adjust\$5 near length	104035	<u>L126</u>
<u>L125</u>	(offset or align\$5) and L124	3	<u>L125</u>
<u>L124</u>	giop near (request or message)	50	<u>L124</u>
<u>L123</u>	(request or message) near (payload or body) near off\$1set	9	<u>L123</u>

<u>L122</u>	(payload or body) near off\$1set	3520	<u>L122</u>
<u>L121</u>	push near (request or message) and L120	0	<u>L121</u>
<u>L120</u>	(payload or body) with off\$1set	49183	<u>L120</u>
<u>L119</u>	((request or message) near header) with (adjust\$4 or align\$5)	82	<u>L119</u>
<u>L118</u>	L105 and L116	19	<u>L118</u>
<u>L117</u>	L112 and L116	100	<u>L117</u>
<u>L116</u>	(body or pay\$1load) near align\$6	13512	<u>L116</u>
<u>L115</u>	L112 and L113	1281	<u>L115</u>
<u>L114</u>	L112 anf L113	191378	<u>L114</u>
<u>L113</u>	(body or pay\$1load) with align\$6	164233	<u>L113</u>
<u>L112</u>	(body or pay\$1load) and (channel near (manag\$6 or event or communication))	23629	<u>L112</u>
<u>L111</u>	(body or pay\$1load) and L110	199	<u>L111</u>
<u>L110</u>	@pd<20030421 and L109	480	<u>L110</u>
<u>L109</u>	(channel near (manag\$6 or event or communication)) with align\$4	782	<u>L109</u>
<u>L108</u>	@pd<20030421 and L107	139	<u>L108</u>
<u>L107</u>	align\$4 and L106	235	<u>L107</u>
<u>L106</u>	event near channel and L105	612	<u>L106</u>
<u>L105</u>	(transmi\$4 or deliver\$) near (message or request)	119780	<u>L105</u>
<u>L104</u>	event near channel and L102	54	<u>L104</u>
<u>L103</u>	channel and L102	11880	<u>L103</u>
<u>L102</u>	adjust\$3 with alignment	47016	<u>L102</u>
<u>L101</u>	message near request and L100	7	<u>L101</u>
<u>L100</u>	@pd<20030421 and L96	2367	<u>L100</u>
<u>L99</u>	@pd<20030421 and L95	24	<u>L99</u>
<u>L98</u>	@pd<20030421 and L97	83	<u>L98</u>
<u>L97</u>	filter\$3 and L96	171	<u>L97</u>
<u>L96</u>	((format\$4 or serializ\$5 or marshal\$4) near channel\$4).ab,ti.	3238	<u>L96</u>
<u>L95</u>	typed near channel\$4	42	<u>L95</u>
<u>L94</u>	wrap\$4 and L93	10	<u>L94</u>
<u>L93</u>	((giop or general near protocol) near (message or request))	64	<u>L93</u>
<u>L92</u>	adjust\$4 and ((giop or general near protocol) near (message or request))	19	<u>L92</u>
<u>L91</u>	pad\$4 and ((giop or general near protocol) near (message or request))	3	<u>L91</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L90</u>	'6092130'.pn.	1	<u>L90</u>
<u>L89</u>	'6092130'.pn.	1	<u>L89</u>
<u>L88</u>	'6369723'.pn.	1	<u>L88</u>
<u>L87</u>	'6369723'.pn.	1	<u>L87</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L86</u>	pad\$4 near length and ((giop or general near protocol) near (message or request))	1	<u>L86</u>
<u>L85</u>	align\$4 and ((giop or general near protocol) near (message or request))	0	<u>L85</u>

<u>L84</u>	L83 and ((giop or general near protocol) near (message or request))	0	<u>L84</u>
<u>L83</u>	(body or pay\$1load) with \$3align\$7	132899	<u>L83</u>
<u>L82</u>	L81 and ((giop or general near protocol) near (message or request))	0	<u>L82</u>
<u>L81</u>	(body or pay\$1load) near \$3align\$7	11596	<u>L81</u>
<u>L80</u>	event near channel with register\$5	122	<u>L80</u>
<u>L79</u>	channel near (event or manag\$6 or communicat\$3) and ((giop or general near protocol) near (message or request))	23	<u>L79</u>
<u>L78</u>	channel near (event or manag\$6 or communicat\$3) with ((giop or general near protocol) near (message or request))	0	<u>L78</u>
<u>L77</u>	@pd<20030421 and L76	56	<u>L77</u>
<u>L76</u>	channel near (event or manag\$6 or communicat\$3) with (\$3materializ\$4 or \$3serializ\$3 or \$3marshal\$4)	167	<u>L76</u>
<u>L75</u>	message near (body or pay\$1load) and L74	29	<u>L75</u>
<u>L74</u>	@pd<20030421 and L73	769	<u>L74</u>
<u>L73</u>	wrap\$4 with (header or ((operation or method or function) near name))	1458	<u>L73</u>
<u>L72</u>	@pd<20030421 and L71	48	<u>L72</u>
<u>L71</u>	channel near (event or manag\$6 or communicat\$3) and L70	152	<u>L71</u>
<u>L70</u>	((queue or buffer) near (need\$2 or requirement)) with (efficient\$2 or reduc\$5 or minimiz\$5)	1316	<u>L70</u>
<u>L69</u>	channel near (event or manag\$6 or communicat\$3) and L68	7	<u>L69</u>
<u>L68</u>	((without or "not") near (\$3materializ\$4 or \$3serializ\$3 or \$3marshal\$4))	380	<u>L68</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L67</u>	'5983259'.pn.	1	<u>L67</u>
<u>L66</u>	'6038604'.pn.	1	<u>L66</u>
<u>L65</u>	'6226666'.pn.	1	<u>L65</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L64</u>	'20020191616'.pn.	1	<u>L64</u>
<u>L63</u>	'20030105884'.pn.	1	<u>L63</u>
<u>L62</u>	'20050149612'.pn.	1	<u>L62</u>
<u>L61</u>	'20050149612'.pn.	1	<u>L61</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L60</u>	wrap\$4 with ((message or request) near (body or pay\$load))	64	<u>L60</u>
<u>L59</u>	l9 and L58	45	<u>L59</u>
<u>L58</u>	adjust\$4 near2 length and l46	2615	<u>L58</u>
<u>L57</u>	l46 and L56	16	<u>L57</u>
<u>L56</u>	adjust\$4 near header	700	<u>L56</u>
<u>L55</u>	l9 and L54	5	<u>L55</u>
<u>L54</u>	l46 and L53	158	<u>L54</u>
<u>L53</u>	adjust\$4 with header	6659	<u>L53</u>
<u>L52</u>	orb and l46	31	<u>L52</u>
<u>L51</u>	giop and l46	0	<u>L51</u>
<u>L50</u>	((request or message) near (length or header)) and L49	68	<u>L50</u>

<u>L49</u>	(pay\$1load or body) and L48	262	<u>L49</u>
<u>L48</u>	l9 and L46	674	<u>L48</u>
<u>L47</u>	event adj channel and L46	51	<u>L47</u>
<u>L46</u>	@pd<20030421 and misalign\$4	101182	<u>L46</u>
<u>L45</u>	@pd<20030421 and L44	97	<u>L45</u>
<u>L44</u>	(message or request) with misalign\$4	197	<u>L44</u>
<u>L43</u>	l9 and L42	11	<u>L43</u>
<u>L42</u>	(without or "not") near (deliver\$3 or transfer\$4 or transm\$6) with \$4align\$4	502	<u>L42</u>
<u>L41</u>	(without or "not") near (deliver\$3 or transfer\$4 or transm\$6) near (request or message) with \$4align\$4	0	<u>L41</u>
<u>L40</u>	adjust\$4 with ((request or message) near header)	41	<u>L40</u>
<u>L39</u>	@pd<20030421 and L38	100	<u>L39</u>
<u>L38</u>	l9 and L37	187	<u>L38</u>
<u>L37</u>	adjust\$4 near \$4align\$4	18133	<u>L37</u>
<u>L36</u>	adjust\$4 with \$4align\$4	116011	<u>L36</u>
<u>L35</u>	l9 and L31	109	<u>L35</u>
<u>L34</u>	(pay\$1load or body) and L33	184	<u>L34</u>
<u>L33</u>	@pd<20030421 and L32	595	<u>L33</u>
<u>L32</u>	l9 and (l30 or l31)	1121	<u>L32</u>
<u>L31</u>	(adjust\$4 or \$4align\$4) with ((request or message) near (length or header))	172	<u>L31</u>
<u>L30</u>	\$4align\$4 with (error or fault\$1 or fail\$3)	48586	<u>L30</u>
<u>L29</u>	l9 and L27	97	<u>L29</u>
<u>L28</u>	l9 and L27	97	<u>L28</u>
<u>L27</u>	(l1 or l4) and L25	10019	<u>L27</u>
<u>L26</u>	event adj channel and L25	21	<u>L26</u>
<u>L25</u>	proper\$3 near align\$4	110842	<u>L25</u>
<u>L24</u>	20030046395	2	<u>L24</u>
<u>L23</u>	@pd<20030421 and L22	39	<u>L23</u>
<u>L22</u>	message and L21	118	<u>L22</u>
<u>L21</u>	(filter\$3 or register\$6 or length or adjust\$3 or align\$4) and L20	187	<u>L21</u>
<u>L20</u>	giop	223	<u>L20</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L19</u>	'5931916'.pn.	1	<u>L19</u>
<u>L18</u>	'6006264'.pn.	1	<u>L18</u>
<u>L17</u>	'6374300'.pn.	1	<u>L17</u>
<u>L16</u>	'6611873'.pn.	1	<u>L16</u>
<u>L15</u>	'6732175'.pn.	1	<u>L15</u>
<u>L14</u>	'6823391'.pn.	1	<u>L14</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L13</u>	'20030065711'.pn.	1	<u>L13</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			

<u>L12</u>	l3 and L11	24	<u>L12</u>
<u>L11</u>	l4 and L9	1560	<u>L11</u>
<u>L10</u>	l7 and L9	3	<u>L10</u>
<u>L9</u>	(pass\$3 or deliver\$3 or transfer\$4 or transm\$6 or serializ\$4 or marshal\$4 or materializ\$4) near (request or message)	194394	<u>L9</u>
<u>L8</u>	(deliver\$3 or transfer\$4 or transm\$6 or serializ\$4 or marshal\$4 or materializ\$4) near (request or message)	179487	<u>L8</u>
<u>L7</u>	@pd<20030421 and L6	163	<u>L7</u>
<u>L6</u>	(wrap\$4 or filter\$3) and l5	295	<u>L6</u>
<u>L5</u>	l3 and L4	1638	<u>L5</u>
<u>L4</u>	(align\$4 or adjust\$5) near (message or request or body or payload)	34946	<u>L4</u>
<u>L3</u>	(append\$3 or inser\$6) near (pay\$1load or body)	65493	<u>L3</u>
<u>L2</u>	event adj channel and L1	27	<u>L2</u>
<u>L1</u>	(append\$3 or inser\$6) with (pay\$1load or body)	449398	<u>L1</u>

END OF SEARCH HISTORY